

## Module 7: PCR & ELISA



BMES Cell Team

Winter 2021



# Outline

- PCR
  - Purpose
  - Procedure
  - Virtual Walkthrough
- ELISA
  - Purpose
  - Procedure
  - Virtual Walkthrough



# PCR


BMES Cell Team

Winter 2021




# What is PCR?

- **Definition:** Polymerase Chain Reaction (**PCR**) is a method of copying small, targeted sequences of genetic material.
- Developed by Dr. Kary Mullis in 1983
  - Published 1985 article describing PCR for identifying hemoglobin mutation responsible for sickle-cell anemia
- Mullis awarded 1993 Nobel Prize in Chemistry for his invention of the PCR technique
- Roche bought the rights for PCR in 1991
  - Used PCR for molecular diagnostics






# Why do we do PCR?



- DNA analysis only yields accurate data if the quantity of DNA is above the instrument's limit of detection
  - Requires amplification of harvested DNA sample
- Before PCR, this amplification process was indirect and laborious
  - PCR provided a faster way to get many more sample copies

# Why do we do PCR?

## WHAT IS PCR USED FOR?



# Why do we do PCR?



## Associated Companies

- EMLabs (mold)
- US Micro Solutions (fungus, bacteria)

- PCR is commonly used to detect the DNA microorganisms in the environment
- Examples:
  - Coliforms in fresh water supplies
  - *Bacillus anthracis* spores in soil
  - Viruses in groundwater
  - MRSA in households of infected patients

# Why do we do PCR?



## Associated Companies

- SummerBio (UCLA COVID testing)
  - Roche
  - Fisher Sci
- PCR is commonly used to amplify DNA for medical diagnosis and disease study
  - Examples:
    - Diagnosing SARS-CoV-2 infection
    - Diagnosing *N. gonorrhoeae* infection
    - Studying BRCA1 activity in breast cancer
    - Detection of Down's Syndrome

# Why do we do PCR?



## **Associated Companies**

- Centogene
- Novogene

- PCR is commonly used to amplify DNA for medical diagnosis and disease study
- Examples:
  - Testing for the Tay-Sachs gene
  - Examining changes in astronaut DNA

# Why do we do PCR?



## Associated Companies

- 23andMe
- Ancestry

- PCR is commonly used to amplify DNA for consumers interested in their own genetics
- Examples:
  - At home genetic testing kits
  - Genetic mapping to find relatives

# Why do we do PCR?




## Associated Companies

- Bio-Rad
- Thermo Fisher


- PCR is commonly used to test the quality of food products and amplify plant DNA for genetic modification
- Examples:
  - Detecting adulteration of meat
  - Identifying GMOs
  - Testing food samples for bacterial contamination

# Why do we do PCR?



- PCR is commonly used to amplify DNA from ancient remains and determine phylogenetic relationships

- Examples:



- Understanding genetic relationships of different bacteria and plant species



# Why do we do PCR?

Forensic science




## Associated Companies

- GEDMatch
- miniPCR
- QIAGEN

- PCR is commonly used to amplify DNA from crime scenes and identify perpetrators
- Examples:
  - Genetic evidence used to identify the Golden State Killer

# PCR Procedure: Required Components




# PCR Procedure: The Three Main Steps

## PCR : Polymerase Chain Reaction

30 - 40 cycles of 3 steps :

### Step 1 : denaturation


1 minut 94 °C



### Step 2 : annealing


45 seconds 54 °C

forward and reverse primers !!!



### Step 3 : extension

2 minutes 72 °C  
only dNTP's



(Andy Vienstraete 1999)

# PCR Procedure: Video



Oxford Walkthrough

<https://www.youtube.com/watch?v=jFl6HmcGw9Q>

Virtual Lab

<https://www.youtube.com/watch?app=desktop&v=G4sEhNkoPT8>

# Benefits and Limitations of PCR

## Benefits

- Exponential Amplification
- Fast
- Relatively Simple
- Highly Sensitive
- Companies manufacture ready-to-use PCR kits
- “Gold standard” in modern research

## Limitations

- Contamination can manipulate results
- Conducted at 3 different temperatures
- Requires denaturation of DNA sample
- Requires prior known sequence to design primers

# Alternatives to PCR

## Recombinase Polymerase Amplification (RPA)

### Mechanism


- Expansion from oligonucleotide primers

### Benefits

- Isothermal
- Exponential Amplification
- Single Tube

### Limitations

- Less established than PCR
- Kits not widely available





# ELISA

BMES Cell Team


Winter 2021





# What is ELISA?


- **Definition:** Enzyme-linked immunosorbent assay (**ELISA**) is a method of detecting specific antibodies and antigens.
- Developed by Eva Engvall and Peter Perlmann
  - Published their first paper in 1971
  - Engvall went on to apply ELISA to parasitology, microbiology, and oncology
- Currently used to test for antibodies, food allergens, and disease antigens




# Why do we do ELISA?

## Enzyme-linked immunosorbent assay (ELISA)

### Detection of antibodies to HIV





### Detection of HIV-specific proteins



- The ELISA system can be utilized to detect many different types of proteins in biological samples
- ELISA is key to detecting:
  - Pregnancy
  - HIV infection

# ELISA Procedure: Required Components



# ELISA Procedure: The Four Main Steps

## Coating

Antigen is adsorbed onto well in ELISA plate in coating buffer



Remove buffer and wash plate



## Blocking

A buffer containing unrelated protein is used to block free sites in the wells



Remove buffer and wash plate




## Detection

Enzyme conjugated detection antibody binds antigen




Remove buffer and wash plate




## Readout

Substrate is catalyzed by enzyme to generate colored readout



# ELISA Procedure: Video



Edvotek Walkthrough

[https://www.youtube.com/watch?v=zR\\_xlV5v\\_f4&t=166s](https://www.youtube.com/watch?v=zR_xlV5v_f4&t=166s)

Virtual Lab

<https://www.youtube.com/watch?v=pmdoA8Xiviw&t=45s>

# Benefits and Limitations of ELISA

## Benefits

- Selective
- Relatively Simple
- Highly Sensitive
- Safe
- Cheap
- Companies manufacture ready-to-use ELISA kits

## Limitations

- Antibodies require refrigerated transport and storage
- Will yield false results if there is not sufficient blocking
- High probability of a false positive or false negative

# Alternatives to ELISA

## Radioimmunoassay (RIA)

### Mechanism


- Radioactive and non-radioactive antigens compete for antibody binding sites

### Benefits

- Highly Sensitive
- Quantitative Measurement

### Limitations

- Uses Radioactive Materials (Hazardous)



# Alternatives to ELISA

## Multiplex Assay (Luminex Beads)

### Mechanism

- Immunoassay that uses beads to bind the antibody

### Benefits

- Multiple analytes at the same time
- Measure analytes concentration of different orders of magnitude

### Limitations

- Less established than PCR

